

# Immunization Requirements for Preschool – 12<sup>th</sup> Grade

| 3 Years   | 4 Years   | 5 Years   | 11-15 Years  | 16 Years and older   |
|---|---|---|--|--|
| <a href="#">DTaP</a> – 4 doses  | * <a href="#">DTaP</a> – 4 or 5 doses   | * <a href="#">DTaP</a> – 4 or 5 doses   | * <a href="#">DTaP</a> – 4 or 5 doses  | * <a href="#">DTaP</a> – 4 or 5 doses  |
| <a href="#">Polio (IPV)</a> – 3 doses   | * <a href="#">Polio (IPV)</a> – 3 or 4 doses  | * <a href="#">Polio (IPV)</a> – 3 or 4 doses  | * <a href="#">Polio (IPV)</a> – 3 or 4 doses   | * <a href="#">Polio (IPV)</a> – 3 or 4 doses   |
| <a href="#">MMR</a> – 1 dose  | <a href="#">MMR</a> – 2 doses   | <a href="#">MMR</a> – 2 doses   | <a href="#">MMR</a> – 2 doses  | <a href="#">MMR</a> – 2 doses  |
| * <a href="#">Hib</a> – 3 or 4 doses  | * <a href="#">Hib</a> – 3 or 4 doses  | * <a href="#">Hib</a> – no requirement  | <a href="#">Tdap</a> – 1 dose  | <a href="#">Tdap</a> – 1 dose  |
| * <a href="#">Hep A</a> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b> | * <a href="#">Hep A</a> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b> | * <a href="#">Hep A</a> - 2 doses effective for the school year beginning on or after <b>July 1, 2018</b> | * <a href="#">Hep A</a> -2 doses effective for the school year beginning on or after <b>July 1, 2018</b> | * <a href="#">Hep A</a> 2 doses effective for the school year beginning on or after <b>July 1, 2018</b>  |
| <a href="#">Hep B</a> – 3 doses   | <a href="#">Hep B</a> – 3 doses   | <a href="#">Hep B</a> – 3 doses   | <a href="#">Hep B</a> – 3 doses  | <a href="#">Hep B</a> – 3 doses  |
| * <a href="#">Varicella</a> – 1 dose  | * <a href="#">Varicella</a> – 2 doses   | * <a href="#">Varicella</a> – 2 doses   | * <a href="#">Varicella</a> – 2 doses  | * <a href="#">Varicella</a> – 2 doses  |
| * <a href="#">Pneumococcal (PCV)</a> – 4 doses  | * <a href="#">Pneumococcal (PCV)</a> – 4 doses  | * <a href="#">Pneumococcal (PCV)</a> – no requirement   | <a href="#">Meningococcal ACWY (MCV4)</a> – 1 dose (at 11 years of age)                                  | * <a href="#">Meningococcal ACWY (MCV4)</a> – 2 doses for 16 yrs and older effective for the school year beginning on or after <b>July 1, 2018</b> |

\*DTaP - Fifth dose not needed if dose #4 given after 4<sup>th</sup> B-day and 6 months from previous dose

\*Polio - Fourth dose not needed if dose #3 given after 4<sup>th</sup> B-day and 6 months from previous dose

\*Hib - last dose must be on or after 12 months of age-not required at age 5 years and older; number of total doses (3 or 4) depends on brand used

\*PCV - last dose must be on or after 12 months of age-not required at age 5 years and older

\*Varicella - no doses needed if history of Chickenpox or Zoster disease is verified by a medical provider

\*Meningococcal ACYW – if initial dose given at 16 yrs or older, will only need one dose (previously known as MCV4)

\*Hepatitis A – 2 doses spaced 6 months apart effective for the school year beginning on or after **July 1, 2018**